



SILENTLINE BAFFLES

(844) 313-7672
fsorb.com • info@fsorb.com



APPLICATIONS AND USAGE

Silentline Baffles are designed to absorb sound and provide a clean, dynamic linear feel within the ceiling space. We currently have four standard baffle shapes and can also create custom shapes for larger orders.

PANEL SPECIFICATIONS

Thickness	1/2"	1"	2"
NRC (12" o/c)	0.75	0.95	1.20
Size	47", 95" or custom		
Height	8", 12" or custom		

SHAPES



Transit



Ocean



Mountain



Metro

AVAILABLE COLORS




Light Beige, Chestnut, Red, Rose Red, Pink, Orange, Apricot, Yellow, Sky Blue, True Blue, Ocean Blue, Midnight Blue, Dark Purple, Purple, Seafoam Green, Moss Green, Green, Dark Green, Black, White, Tan, Light Grey, Grey, and Charcoal


Custom print options available.

INSTALLATION


If you have a ceiling grid, F-Snap and T-Snap are available in 1/2" material only.



(FH) F-Snap High



(TH) T-Snap High



Cable Gripper Kit

PRODUCT FEATURES

- Class A Fire Rating
- 0.0% VOCs
- 65% Recycled Content

PUBLICLY DISCLOSED HEALTH PRODUCT DECLARATION

FSorb® has a Red List Free - Declare® Label to support HPD's for LEED and Living Building Challenge projects. They are located on the product section of the website or provided upon request.



FREE FROM HARMFUL PAINTS, COATINGS, ADHESIVES AND SEALANTS

No paints, coatings, adhesives or sealants are used to manufacture FSorb®. It is thermally bonded.

OTHER ECOLOGICAL INFORMATION

FSorb® does not contain any ozone depleting chemicals and is not classified as a hazardous air pollutant.

SOURCING OF RAW MATERIALS

The recycled polyester comes from PET plastic fibers which are sourced from a variety of locations near the manufacturer and vary depending on availability.

Material Name	Polyester
CAS Number	#68604-67-1
Proportion	100%
Contains 0.0% VOC's	

RECYCLED CONTENT

The recycled content varies depending on the availability of recycled PET fibers. Recycled content is typically 65% depending on product, color and location of manufacturing.



SILENTLINE BAFFLES

(844) 313-7672
fsorb.com • info@fsorb.com



SILENTLINE BAFFLES

(844) 313-7672
fsorb.com • info@fsorb.com



CLEANING & MAINTENANCE

Can be cleaned and maintained as follows: brush off, blow off with compressed air, clean by using a dry cleaning sponge, damp white cloth or similar. Heavy soiling or stains may require a cleaner similar to Resolve Carpet Cleaner or Spot Shot which should be used as directed. Bleach can also be used if needed. Heavily damaged panels should be replaced.

MANUFACTURING LOCATION

FSorb® is manufactured and shaped in Redmond, Washington. Raw materials are sourced within the United States and South Korea. FSorb® is distributed through a series of distribution yards throughout North America.

LIMITED THREE-YEAR WARRANTY

FSorb® has a limited Three-Year Warranty. This warranty covers defects in the structural integrity of the panels. This warranty does not cover damage caused by fire, water, accident, or by any form of abuse.