


EPIQ INDUSTRIAL ABSORBER



(844) 313-7672 fsorb.com • info@fsorb.com

APPLICATIONS AND USAGE

These are the most economical means of protecting employee hearing within the manufacturing or industrial setting, helping to eliminate costly hearing loss L&I claims.

- Manufacturing
- Industrial
- Distribution Centers

PANEL SPECIFICATIONS

Thickness	1 1/8"
NRC	1.00
Size	48" x 96"

AVAILABLE COLORS




White

Other colors available for large order requests.

Thickness	1 ½"
NRC	1.00
Size	48" x 96"

INSTALLATION



PUBLICLY DISCLOSED HEALTH PRODUCT DECLARATION

FSorb® has a Red List Free -Declare® Label to support Red List HPD's for LEED and Living Building Challenge projects. They are located on the product section of the website or provided upon request.

FREE FROM HARMFUL PAINTS, **COATINGS, ADHESIVES AND SEALANTS**

No paints, coatings, adhesives or sealants are used to manufacture FSorb®. It is thermally bonded.

OTHER ECOLOGICAL INFORMATION

FSorb® does not contain any ozone depleting chemicals and is not classified as a hazardous air pollutant.

SOURCING OF RAW MATERIALS

The recycled polyester comes from PET plastic fibers which are sourced from a variety of locations near the manufacturer and vary depending on availability.

Material Name	Polyester
CAS Number	#68604-67-1
Proportion	100%
Contains 0.0% VOC's	

RECYCLED CONTENT

The recycled content varies depending on the availability of recycled PET fibers. Recycled content is typically 65% depending on product, color and location of manufacturing.



EPIQ INDUSTRIAL ABSORBER



EPIQ INDUSTRIAL ABSORBER

CLEANING & MAINTENANCE

Can be cleaned and maintained as follows: brush off, blow off with compressed air, clean by using a dry cleaning sponge, damp white cloth or similar. Heavy soiling or stains may require a cleaner similar to Resolve Carpet Cleaner or Spot Shot which should be used as directed. Bleach can also be used if needed. Heavily damaged panels should be replaced.

MANUFACTURING LOCATION

FSorb® is manufactured and shaped in Redmond, Washington. Raw materials are sourced within the United States and South Korea. FSorb® is distributed through a series of distribution yards throughout North America.

LIMITED THREE-YEAR WARRANTY

FSorb® has a limited Three-Year Warranty. This warranty covers defects in the structural integrity of the panels. This warranty does not cover damage caused by fire, water, accident, or by any form of abuse.